

PATENT  
Serial No. 09/597,198  
Amendment in Reply to Office Action of August 18, 2005

IN THE CLAIMS

Please amend claim 17 as follows:

1. (Original) A method of authenticating first and second electronic devices, comprising:

upon link set-up over a short-range wireless link, executing an authentication protocol by exchanging authentication information between the first and second electronic devices to initially authenticate communication between the first and second devices;

later, when the first and second electronic devices are beyond the short-range wireless link, executing the authentication protocol by exchanging the authentication information between the first and second electronic devices over an alternate communications link, then only allowing communication between the first and second devices if the first and second devices had initially been successfully authenticated.

2. (Original) The method of Claim 1, wherein the authentication information is an authentication key.

PATENT  
Serial No. 09/597,198  
Amendment in Reply to Office Action of August 18, 2005

3.(Original) The method of Claim 1, wherein the authentication information a password.

4.(Original) The method of Claim 1, wherein the first device is a master device and the second device is a slave device.

5.(Original) The method of Claim 1, wherein the short-range wireless link is a radio link.

6.(Original) The method of Claim 1, wherein the short-range wireless link is an infra-red link.

7.(Original) The method of Claim 1, wherein the link set-up occurs when the first and second devices are in physical proximity.

8.(Original) The method of Claim 1, wherein the short-range wireless link conforms to a given RF protocol.

PATENT  
Serial No. 09/597,198  
Amendment in Reply to Office Action of August 18, 2005

9. (Previously Presented) The method of Claim 8, wherein the given RF protocol is Bluetooth.

10. (Original) The method of Claim 1 wherein the link set-up step includes entry of a given personal identification number into each of the first and second electronic devices.

11. (Original) The method of Claim 1, wherein the alternate communications link is a computer network.

12. (Original) The method of Claim 1, wherein the first electronic device is a client and the second electronic device is a server.

13. (Original) A method of authenticating first and second electronic devices, comprising:

upon link set-up over a first link, executing an authentication protocol by exchanging authentication information between the first and second electronic devices to initially authenticate communication between the first and second devices;

PATENT

Serial No. 09/597,198

Amendment in Reply to Office Action of August 18, 2005

later, when the first and second electronic devices are connected using a second link, exchanging the authentication information between the first and second electronic devices over the second link, then only allowing communication between the first and second devices if the first and second devices had initially been successfully authenticated.

14. (Previously Presented) An electronic device, comprising:

a processor;

and

a memory loaded with a software routine executed by the processor (a) for generating authentication information useful in initially authenticating the electronic device to a another electronic device over a short-range wireless link, and (b) for later supplying the authentication information for later authentication of the electronic device to the other electronic device over an alternate communications link when the devices are beyond the short-range wireless link, then only allowing communication between the devices if the devices had initially been successfully authenticated.

PATENT  
Serial No. 09/597,198  
Amendment in Reply to Office Action of August 18, 2005

15. (Original) The electronic device of Claim 14, wherein the link set-up step includes entry of a given personal identification number into each of the first and second electronic devices.

16. (Original) The electronic device of Claim 14, wherein the electronic device is a client and the second electronic device is a server.

17. (Currently Amended) A communications system, comprising:  
a first electronic device;  
a second electronic device;  
a first communications link over which the first and second electronic devices authenticate each other using a given protocol that includes a link set-up and the exchange of authentication information following the link set-up, the authentication information being used to initially authenticate communication between the first and second electronic devices; and  
a second communications link over which the first and second electronic devices later authenticate each other using the exchange

PATENT

Serial No. 09/597,198

Amendment in Reply to Office Action of August 18, 2005

of the authentication information, then only allowing communication between the first and second devices if the first and second devices had initially been successfully authenticated, wherein said first communications link and said second communications link are different types of links.